

Product Data Sheet

Date of Generation: 21.01.2016

Article-Nr.:	108 020
Type of Product:	Kanister, 10 liter
Capacity (maximum):	Ca. 11,3 liter
Dimensions (W x D x H):	ca. 195 x 195 x 380 mm
Weight:	ca. 460 g
Material:	PEHD
Surface Resistivity:	Indication only when electrostaic conductive
Closure:	Screw Cap
Thread Size:	S90
Material:	Cabelec CA 6132 XS
Seal:	Alveocell, Thickness: 6 mm

Test Reports / Approvals:		
Report-Nr.	Date	Testing Center
416.845	21.01.2016	Ofi Technologie and Innovation GmbH

Marking:

UN 3H2 / Y / 100 / ..*

* completed with the last two numbers of the year of production

Safety Notes
<ul style="list-style-type: none"> • On transport or storage of dangerous goods the regulations of each country must be fulfilled. • In every single case a canister must be tested on suitability and tightness. • Approved for dangerous good of packaging group II and III. • The maximum overpressure of a canister may not exceed 100kPa. • During use a canister must be marked with mandatory letterings and Hazard Symbols. • In case of any modification of this packaging (including closure) the approval automatically is invalid.

Legal Bases
<ul style="list-style-type: none"> • European agreement concerning the international carriage of dangerous goods by road (ADR) • Regulations on the international transport of dangerous goods by rail (RID) • Recommendation on the transport of dangerous goods der UNITED NATIONS • International maritime dangerous goods code (IMDG Code) • The technical instructions for the safe transport of dangerous goods by air (ICAO-TI) laid down in the IATA Dangerous Goods Regulations



W = 195 mm

H = 380 mm

D = 195 mm