

Product Data Sheet

Date of Generation: 20.10.2017

Article-Nr.:	108421
Type of Product:	Canister, 10 Liter, electro conductive with viewing strip
Capacity (maximum):	ca.10,9 Liter
Dimensions (W x H x D):	ca. 190 x 319 x 230 mm
Weight:	ca. 560 g
Material:	PEHD Cabelec CA 6132 XS
Surface Resistivity:	10 ⁴ - 10 ⁶ Ω
Closure:	Thread Cap
Thread Size:	S 50
Material:	PEHD
Seal:	PE foam gasket

Test Reports / Approvals:		
Report Nr.	Date	Testing Center
EGI 4205915	09.08.2011	EGI
Marking: UN 3H1 / X / 250 / ..* * completed with the last two numbers of the year of production		

Safety Notes
<ul style="list-style-type: none"> • On transport or storage of dangerous goods the regulations of each country must be fulfilled. • In every single case a canister must be tested on suitability and tightness. • The maximum overpressure of a canister may not exceed 100kPa at all. • The approved period of use amounts to 5 years maximum from date of manufacture as long as there is no shorter timeframe noted in carriage regulations of the individual packaging group. • During use a canister must be marked with mandatory letterings and hazard symbols.

Legislation
<ul style="list-style-type: none"> • European Agreement Concerning the international Carriage of Dangerous Goods by Road (ADR) • Regulations on the international Transport of Dangerous Goods by Rail (RID) • International Maritime Dangerous Goods Code (IMDG). • The Recommendations on the Transport of Dangerous Goods of the UNITED NATIONS • Technical Instructions for the safe Transport of dangerous Goods by Air (ICAO-TI) laid down in the IATA-Dangerous Goods Regulations too.