

Product Data Sheet

Date of Generation: 07.04.2013

Article-Nr.:	107951
Type of Product:	Canister, 5 liter
Capacity (maximum):	Ca. 5.3 liter
Dimensions (W x D x H):	ca. 150 x 195 x 250 mm
Weight:	ca. 175 g
Material:	PEHD
Surface Resistivity	Indication only when electro conductive
Closure:	Screw cap
Thread size:	GL 45
Material:	PP
Seal:	PE

Test Reports / Approvals:		
Report-Nr.	Date	Testing Center
050154	17.11.2005	TÜV Rheinland Industrieservice GmbH
050145	16.11.2005	TÜV Rheinland Industrieservice GmbH
46.964/anerk. gemäß BAM GGR003	10.01.2003	Ofi Kunststoffinstitut
46.165/anerk. gemäß BAMGGR003	12.02.2002	Ofi Kunststoffinstitut

Marking:

UN 3H1 / Y 1.6 / 150 / ..*

* completed with the last two numbers of the year of production

Safety notes
<ul style="list-style-type: none"> • On transport or storage of dangerous goods the regulations of each country must be fulfilled • Use for liquid dangerous goods of packaging group I and II • The maximum overpressure of a canister may not exceed 100kPa at all • Every single canister has to be tested on suitability and tightness before use • During use a canister must be marked with mandatory letterings and hazard symbols

Legal Bases
<ul style="list-style-type: none"> • European agreement concerning the international carriage of dangerous goods by road (ADR) • Regulations of the international transport of dangerous goods by rail (RID) • International maritime dangerous goods code (IMDG Code) • Recommendations on the transport of dangerous goods of the United Nations • Technical instructions for the safe transport of dangerous goods by air (ICAO-TI) laid down in the IATA- dangerous goods regulations too