

# Product data sheet

Date of generation: 15.01.2018

<b>Article-Nr.:</b>	<b>107 953</b>
<b>Type of Product:</b>	Canister, 10 Liter, electrostatic conductive
<b>Capacity (maximun):</b>	11,3 Liter
<b>Dimensions (W x D x H):</b>	ca. 200 x 300 x 259 mm
<b>Weight:</b>	ca. 770 g
<b>Material:</b>	PEHD black
<b>Surface Resistivity</b>	< 10 <sup>6</sup> Ω
<b>Closure:</b>	Screw Cap
<b>Thread Size:</b>	S 60/61
<b>Material:</b>	PE-HD
<b>Seal:</b>	Foam PEHD

Test Reports / Approvals:		
Report Nr.	Date	Testing Center
UN Approval No. 405.923	17.11.2011	ofi Technologie & Innovation GmbH
<p>Marking:</p> <p><b>UN 3H1 / Y 1.5 / 200 / ..*</b></p> <p>* completed with the last two numbers of the year of production</p>		

Safety Notes
<ul style="list-style-type: none"> <li>• On transport or storage of dangerous goods the regulations of each country must be fulfilled</li> <li>• In every single case a canister must be tested on suitability and tightness</li> <li>• The maximum overpressure of a canister may not exceed 133kPa at all</li> <li>• The approved period of use amounts to 5 years maximum as long as there is no shorter timeframe noted in carriage regulations of the individual group</li> <li>• During use a canister must be marked with mandatory letterings and Hazard Symbols</li> </ul>

Legal Bases
<ul style="list-style-type: none"> <li>• European Agreement Concerning the international Carriage of Dangerous Goods by Road (ADR)</li> <li>• Regulations on the International Transport of Dangerous Goods by Rail (RID)</li> <li>• International Maritime Dangerous Goods Code (IMDG Code)</li> <li>• Recommendations on the Transport of Dangerous Goods of the United Nations</li> <li>• Technical Instructions for the safe Transport of Dangerous Goods by Air (ICAO-TI) laid down in the IATA-Dangerous Goods Regulations too.</li> </ul>