

Product data sheet

Datum der Erstellung: 22.11.2012

Article-Nr.:	108042
Type of Product:	Canister, 10 Liter, electrostatic conductive, with max. level indicator
Capacity (maximum):	10,9 Liter
Dimensions (W x D x H):	ca. 195 x 290 x 265 mm
Weight:	ca. 790 g
Material:	PEHD Hostalen GM 9350C black/new
Surface Resistivity:	$< 10^6 \Omega$
Closure:	Screw Cap
Thread Size:	S 60/61
Material:	PE-HD, Glas
Seal:	Alkozell 300: Thickness 4 mm

Test Reports / Approvals:

Due to the level indicator this canister cannot have an UN approval for transportation outside the company ground

Safety Notes

- On transport or storage of dangerous goods the regulations of each country must be fulfilled
- In every single case a canister must be tested on suitability and tightness
- The approved period of use amounts to 5 years maximum as long as there is no shorter timeframe noted in carriage regulations of the individual group
- During use a canister must be marked with mandatory letterings and Hazard Symbols

Legal Bases

- European Agreement Concerning the international Carriage of Dangerous Goods by Road (ADR)
- Regulations on the International Transport of Dangerous Goods by Rail (RID)
- International Maritime Dangerous Goods Code (IMDG Code)
- Recommendations on the Transport of Dangerous Goods of the United Nations
- Technical Instructions for the safe Transport of Dangerous Goods by Air (ICAO-TI) laid down in the IATA-Dangerous Goods Regulations too.